Nuclear Engineering and Design 137 (1992) 467–469
North-Holland

Contents of Volume 137

CONTENTS OF ISSUE 137(1)

Extended and Updated Selected Papers from the
ANNUAL MEETING ON NUCLEAR TECHNOLOGY '90
Nuremberg, Germany, May 15–17, 1990

Preface, *K. Kussmaul* ix

BWR steam line and turbine model with multiple piping capability, *H. Anglart, S. Andersson and R. Jadrny* 1

Evaluation of damping values of a piping system with regard to damping values used in design codes, *D. Schrammel and H. Steinhilber* 11

Loading of particulate filters for nuclear reactors, *F.P. Berger and K. Chong* 25

Experimental comparisons for bottom reflooding in tight LWHCR and standard LWR geometries, *N. Rouge, J. Dreier, S. Yanar and R. Chawla* 35

Upgrading and modernization of the High Flux Reactor Petten, *J. Ahlf and J. Schinkel* 49

Developments in PWR cladding corrosion: materials and models, *A.R. Massih and G. Vesterlund* 57

The Halden corrosion cycling experiment IFA-560.2. Experimental results and their interpretation, *W. Beck, G. Böhner and R. Eberle* 65

Calculation of neutron fluence in the region of the pressure vessel for the history of different reactors by using the Monte-Carlo-method, *H.-U. Barz and W. Bertram* 71

Spatial fluxes and energy distributions of reactor fast neutrons in two types of heat resistant concretes, *T.S. Akki, S.A. Benayad and R.M. Megahid* 77

Research program and test loop for the prototype of a HTR coolant gas circulator with magnetic bearings "MALVE", *P. Bührer, Ch. Duttke, J. Engel and D. Glass* 83

Review of the safety concept of the HTR 2 module reactor plant, *H. Helmers and H. Knieper* 89

Simulation tests for temperature mixing in a core bottom model of the HTR-Module, *G. Damm and R. Wehrlein* 97

Recriticality of the HTR-Module Power Reactor after hypothetical accidents, *T. Kindt and H. Haque* 107

Meeting fuel temperature limits in an HTR-Module Reactor during depressurized core heat-up, *N. Kohtz and H. Haque* 115

Improving power and cost-effectiveness at the Gösgen Nuclear Power Plant by increasing the length of the active pellet stack, *H. Bröskamp, H.-P. Fuchs, W. Hiltrop, W. Kollmar and G. Meier* 125

Retention factors for fission products from sodium tests to simulate a severe LMFBR accident, *J. Minges, H. Sauter and W. Schütz* 133

Testing of techniques for the conditioning of fuel elements in view of direct disposal, *H. Sterner, R. Jung and B. Schulte* 139
Operation of the Pamela high-level waste vitrification facility, *H. Wiese and M. Demonie* 147
System analysis dual-purpose repository – New results of temperature calculations, *E. Biurrun, J.P. Lempert and H.-J. Engelmann* 153

Instructions to contributors 159

CONTENTS OF ISSUE 137(2)

Extented and Updated Selected Papers devoted to "Safety and Licensing Issues" from the SMiRT-10 Postconference Seminar No. 10 on "Small and Medium-Sized Nuclear Reactors"

Preface, *S.F. Garribba* 161

Learning and nuclear safety: New reactors and US regulation, *E. Nichols and A. Wildavsky* 163
The safety of Modular High Temperature Gas-Cooled Reactors, *P.R. Kasten* 171
Safety and licensing of the PRISM Liquid Metal Cooled Reactor, *G.L. Gyorey, R.W. Hardy and P.M. Magee* 181
The SLOWPOKE licensing model, *V.G. Snell, F. Takáts and K. Szivós* 191
Theoretical and experimental investigations into the safety behaviour of small HTRs under natural convection conditions, *H. Barthels, W. Rehm and W. Jahn* 199
Modeling of fission product release from HTR fuel for risk analyses, *J.M. Bolin, T.D. Dunn, K. Verfondern and M.J. Kania* 207
Aerosol formation by graphite corrosion in case of water and air ingress to the core of a High-Temperature Reactor, *K. Kugeler, C. Epping, P. Schmidtlein and P. Schreiner* 213
The influence of the chemical state of the fission products on the filter properties of the graphite components, *H. Barthels, C.-B. von der Decken and N. Iniotakis* 221

Regular Papers

Simplified methodology for assessing the risk impact of potential performance improvements for the dry pressurized water reactor containment, *D.L. Kelly, D.J. Pafford, J.A. Schroeder and K.R. Jones* 229
A comparative study of the various nuclear radiations used for void fraction measurements, *A.A. Kendoush* 249
Creep collapse of a heat transfer tube subjected to external pressure at high temperatures, *I. Ioka, Y. Kaji, Y. Miyamoto and I. Nishiguchi* 259
Analysis on the mathematical structure of the nonlinear BWR model, *H. Wang and S. Kondo* 267

Instructions to contributors 275

CONTENTS OF ISSUE 137(3)

Extended and Updated Selected Papers from the 16th MPA-Seminar Stuttgart, Germany, October 4–5, 1990

Preface, *K. Kussmaul* i

Evaluation by fracture mechanics of ultrasonic indications in turbine and generator rotors, *K.H. Mayer, C. Berger, D. Heinrich and B. Scarlin* 277

Static and cyclic crack growth of low alloy steels in high-oxygen water simulating HDR test conditions, *H. Hänninen, P. Aaltonen, R. Rintamaa, E. Arilahti and U. Ehrnstén* 291

Predicting crack arrest in reactor pressure vessels, *E. Smith and T.J. Griesbach* 305

Determination of the dynamic fracture toughness using a new stress pulse loading method, *H. Stroppe, R. Clos and U. Schreppel* 315

Manufacture and characteristics of a heavy section steel test plate with changing mechanical properties in the through-thickness direction, *Y. Mishima, T. Kawakami, M. Satoh, Y. Urabe, J. Sano, T. Fukuda, M. Kusuhashi, I. Sato and K. Suzuki* 323

Investigations on strength and ductility of base metals and welded joints of steels for power plants at elevated temperatures, *W. Dahl and C. Kalwa* 335

Investigations in fracture mechanics failure concepts with thermomechanically rolled steels, *K.E. Hagedorn and M. Eckel* 343

Material hardening under multiaxial creep loading, *H.J. Penkalla, F. Schubert and H. Nickel* 355

First attempts towards the early detection of fatigued substructures using cyclic-loaded 20 MnMoNi 5 5 steel, *G. Dobmann and A. Seibold* 363

Assessment of the residual time to rupture of fuel pins after reactor core disturbances using the Lebensanteil rule, *L. Schäfer and C. Wassilew* 371

Long-term integrity of main pressure boundary components in the first generation of NPPs in Czechoslovakia, *J. Žďárek, L. Pečínka and M. Brumovský* 379

Results of HDR-experiments for pipe loads under thermally stratified flow conditions, *L. Wolf, W. Häfner, M. Geiss, E. Hansjosten and G. Katzenmeier* 387

The load bearing capacity of large pipes containing part-circumferential flaws under tensile loading. A comparison of experiments and analytical approximation methods, *W. Stadtmüller, U. Eisele, P. Julisch and D. Sturm* 405

Crack growth tests on pipes with circumferential defects under internal pressure and superposed alternating bending load, *W. Stoppler, D. Sturm, K. Hippelein, A. de Boer, K. Kerkhof and H. Sommer* 419

Experience of irradiation embrittlement in the Loviisa reactor pressure vessels, *R. Ahlstrand and M. Valo* 433

Mitigation of degradation mechanisms affecting CANDU pressure tubes, *L.A. Simpson and C.E. Coleman* 437

Fatigue analysis for analytically overloaded piping components and valves in nuclear power plants, *B. Charalambus* 449

Ductile crack growth under a PTS event, *H. Okamura, G. Yagawa, T. Kawakami, Y. Urabe, M. Sato and J. Sano* 457

Contents of Volume 137 467
Author index 471
Subject index 475
Instructions to contributors 479